

094541 91/54260

APPROVED	O. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

1/16




Fig. 1

094260" 91254860

APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS
CHAFTSMAN		

2/16




Fig. 2

095451Z54350

APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS
DR. FISMAN		

3/16




Fig. 3

004260 91254860

APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS
CRATSMAN		

4/16





Fig. 4


APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS
DATE/TIME		

5/16

Protocol 1 and 2



Protocol 3 and 4



Protocol 6





Fig. 5

0945716-092403

6/16




A AQP2 (2 days after 40min ischemia)



C Urine output (ul/min/kg)



B AQP2 Expression (Fraction of Sham)



D Urine osmolality (msom/KgH₂O)




Fig. 6

09645716-092401

APPROVED	O. FIG.	
BY	CLASS	SUBCLASS
CRAFTSMAN		

8/16




Fig. 8

05845746.092404

APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS

9/16




Fig. 9

0945716-092401
104260-91/54850

09457154850

APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS
OFFICER		

10/16




Fig. 10

Fig. 11

12/16




Fig. 12

09845736-092403
T04260-97254860

13/16




Fig. 13

0045740940
04260" 9754360

09457254860

APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS
DEFTSMAN		

14/16





Fig. 14

15/16




Fig. 15

09845746 092404
004260 9754860

APPROVED	O. . FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

16/16




Fig. 16

09845716-092401